

DESCRIPTION

The Tradesman slab soffit discharge is used for venting air from inside a building to the outside by way of going through the soffit.

CONSTRUCTION

Made of 22GA or 24GA galvanized.

FEATURES

Firestop installed.

GUARANTEE

Made in Canada. All Tradesman Manufacturing products are guaranteed against defective material. All testing performed by Intertek Testing Services NA Ltd. Warnock Hersey and Hardy Associates Ltd. Pressure rating (-1 to +2 water gauge)

OPTIONAL CONSTRUCTION

Firestop material installed. Optional damper installed. Multiple throat dimensions.

** Replace "SSD" with "SDD" to include a damper.

Contact Tradesman Manufacturing for availability, pricing, and lead time.


(403) 327-9871

sales@tradesmanmfg.ca


www.tradesmanmfg.ca

Specifications are subject to change without notice or obligation. All Tradesman Manufacturing products are guaranteed against defective material.

Product Code	A (in)	B (in)	C (in)	D (in)
*SSD/1125/22	12.25″	4″	1.8125″	1.375″
*SSD/1218/24	12.25″	4″	1.86″	2.125″
*SSD/1275/24	12.25″	4″	1.875″	2.75″
*SSD/1325/24	12.25″	4″	1.8125″	3.25″
*SSD/2125/24	12.25″	4″	2.0625″	2.125″
*SSD/2212/24	12.8125″	4″	2.0625″	2.125″
*SSD/2218/24	12.25″	4″	2.1875″	2.125″
*SSD/2275/24	12.8125″	4″	2.0625″	2.75″
*SSD/2325/24	12.25″	4″	2.1875″	3.3232″








<u>(403) 327-9871</u>

sales@tradesmanmfg.ca

www.tradesmanmfg.ca

Specifications are subject to change without notice or obligation. All Tradesman Manufacturing products are guaranteed against defective material.





<u>(403) 327-9871</u>

sales@tradesmanmfg.ca

<u>www.tradesmanmfg.ca</u>

Specifications are subject to change without notice or obligation. All Tradesman Manufacturing products are guaranteed against defective material.