

DESCRIPTION

The Tradesman's spiral pipe is used for low and high pressure applications in commercial heating, air conditioning, and ventilation systems. Each union made piece of spiral will include a sheet metal union made yellow label.

STANDARD CONSTRUCTION

120" length
Smooth wall construction

GUARANTEE

All Tradesman Manufacturing products are guaranteed against defective material.

OPTIONAL CONSTRUCTION

28 GA – 18ga Galvanized
4"-100"+
G90 Galvanized
Custom lengths
Aluminum
Satin Coat
304/316 Stainless Steel
Double Reinforcement Bead
Double wall c/w Insulation

Product Code	X (in)	Y (in)
SPI/0004/26YL	4"	120"
SPI/S005/26YL	5"	120"
SPI/S006/26YL	6"	120"
SPI/S007/26YL	7"	120"
SPI/S008/26YL	8"	120"
SPI/S009/26YL	9"	120"
SPI/S010/26YL	10"	120"
SPI/S012/26YL	12"	120"
SPI/S014/26YL	14"	120"
SPI/S016/24YL	16"	120"
SPI/S018/24YL	18"	120"
SPI/S020/24YL	20"	120"
SPI/S022/24YL	22"	120"
SPI/S024/24YL	24"	120"

SPIRAL PIPE



[\(403\) 327-9871](tel:4033279871)

sales@tradesmanmfg.ca

www.tradesmanmfg.ca

Specifications are subject to change without notice or obligation. All Tradesman Manufacturing products are guaranteed against defective material.

